



品质卓群 价值超越
EXCELLENCE QUALITY BEYOND VALUE

HANVAN 漢風



HSHANVAN COMMERCIAL VEHICLES SDN. BHD.

www.hsg.com.my

SPECIFICATION

ITEMS	HANVAN NXG4180			
	6x2		4x2	
WEIGHT (kg)				
GCW	60,000kg		60,000kg	
GVW	25,000kg		23,000kg	
DIMENSION (mm)				
Wheelbase	3250+1350		3500	
Overall Length	6795		6000	
Overall Width (Chassis only)	2510		2510	
Overall Height	3630 (Low Cab)		3775 (High Cab)	
ENGINE	In-line 6 cylinder, water cooled, turbo, intercooler, direct injection			
Type of Engine				
Model Code	WP10.375			
Displacement	9726 cc			
Max. Power Output	375HP (276kw)			
Max. Torque	1460Nm (148.8kgm), 1400-1600rpm			
DRIVE LINE	Fast 12JSD180T			
Clutch Type	Dry Single Plate, Damper Spring with power assisted (Dia430mm)			
Model Transmission	ZF16S.2030-TO		FAST-12JSD180T	
	Low	High	Low	High
1st	14.00	3.00	16.00	2.10
2nd	12.00	2.50	12.00	1.60
3rd	9.50	2.10	9.40	1.30
4th	7.90	1.70	7.30	1.00
5th	6.50	1.40	5.70	
6th	5.50	1.20	4.50	
7th	4.60	1.00	3.50	
8th	3.80	0.80	2.70	
Rev	13.00	11.00	15.00	3.30
Final differential gear	4.42/4.8		4.42/4.8	

ITEMS	HANVAN NXG4180	
	6x2	4x2
STEERING	Tilting and telescopic power assisted steering, Adjustable Multifunction Steering Wheel, Recirculating Ball Steering Gear	
Steering System		
BRAKE	Dual circuit full air ABS brake, Drum type, Leading-trailing type with S-CAM Air operated, wheel Parking Brake Exhaust Brake	
SUSPENSION	Parabolic, steel leaf spring and double acting hydraulic telescopic shock absorbers	
Front Suspension		
Real Suspension	Semi-elliptical, steel leaf spring with 8 link torque rod and double acting hydraulic telescopic shock absorbers	Semi-elliptical, steel leaf spring with helper spring and double acting hydraulic telescopic shock absorbers
ELECTRICAL EQUIPMENT	Auto adjusted air-conditioning system Dual tone air horn Mp3/USB/SD Card/Interface Power Windows	
Air-Conditional Horn Stereo Window Control		
TYRE	Tubeless tyre, 295/80R22.5 (Optional: 315/80 R22.5)	
FUEL TANK	Aluminium Alloy 600L	
CAB TYPE	*High Cabin* Electrical Tilted Cabin with Upper and Lower Sleeping Compartment Self Adjustable Air Bag *Low Cabin* Electrical Tilted Cabin with the Sleeping Compartment	
OTHER	Basic equipment: floating adjustable seat, heating and ventilating system, large capacity storage, arm windscreen wiper system, air horn, sun visor, etc.	



HEAVY TRUCK SERIES

HS HANVAN COMMERCIAL VEHICLES SDN. BHD.

SHOWROOM

PMT 1280, Lorong Perusahaan Sg. Lokan 3,
Kawasan Perusahaan Sg. Lokan 13800 B.W.

Tel: 04-3567668 Fax: 04-3567669

www.hsg.com.my



HS HANVAN COMMERCIAL VEHICLES SDN. BHD.

品质卓群 价值超越
EXCELLENCE QUALITY BEYOND VALUE



XCMG

HANVAN 漢風



www.hsg.com.my

SPECIFICATION

ITEMS	HANVAN NXG4250 6X4			
WEIGHT (kg)				
GCW	80,000kg			
GVW	25,000kg			
DIMENSION (mm)				
Wheelbase	3250+1350			
Overall Length	6795			
Overall Width (Chassis only)	2510			
Overall Height	3630 (Low Cab)			
ENGINE				
Type of Engine	In-line 6 cylinder, water cooled, turbo, intercooler, direct injection			
Model Code	WP12.430N			
Displacement	11596cc			
Max. Power Output	430HP (316kw)			
Max. Torque	2060Nm (210kgm), 1000-1400rpm			
DRIVE LINE				
Clutch Type	Dry Single Plate, Damper Spring with power assisted (Dia430mm)			
Model	ZF16S.2030-TO		FAST-12JSD200TA	
Transmission				
	Low	High	Low	High
1st	14.00	3.00	12.00	1.60
2nd	12.00	2.50	9.40	1.30
3rd	9.50	2.10	7.30	1.00
4th	7.90	1.70	5.70	0.80
5th	6.50	1.40	4.50	
6th	5.50	1.20	3.50	
7th	4.60	1.00	2.70	
8th	3.80	0.80	2.10	
				2.60
Rev	13.00	11.00	12.00	
Final differential gear	4.42/4.8		4.42/4.8	

ITEMS	HANVAN NXG4250 6x4
STEERING	
Steering System	Tilting and telescopic power assisted steering, Adjustable Multifunction Steering Wheel, Recirculating Ball Steering Gear
BRAKE	
	Dual circuit full air ABS brake, Drum type, Leading-trailing type with S-CAM Air operated, wheel Parking Brake Exhaust Brake
SUSPENSION	
Front Suspension	Parabolic, steel leaf spring and double acting hydraulic telescopic shock absorbers
Real Suspension	Semi-elliptical, steel leaf spring with 8 link torque rod and double acting hydraulic telescopic shock absorbers
ELECTRICAL EQUIPMENT	
Air-Conditional Horn Stereo Window Control	Auto adjusted air-conditioning system Dual tone air horn Mp3/USB/SD Card/Interface Power Windows
TYRE	Tubeless tyre, 295/80R22.5 (Optional: 315/80 R22.5)
FUEL TANK	Aluminium Alloy 600L
CAB TYPE	*High Cabin* Electrical Tilted Cabin with Upper and Lower Sleeping Compartment Self Adjustable Air Bag *Low Cabin* Electrical Tilted Cabin with the Sleeping Compartment
OTHER	Basic equipment: floating adjustable seat, heating and ventilating system, large capacity storage, arm windscreen wiper system, air horn, sun visor, etc.



HEAVY TRUCK SERIES

HS HANVAN COMMERCIAL VEHICLES SDN. BHD.

SHOWROOM

PMT 1280, Lorong Perusahaan Sg. Lokan 3,
Kawasan Perusahaan Sg. Lokan 13800 B.W.

Tel: 04-3567668 Fax: 04-3567669

www.hsg.com.my